



1-800-363-2639

Nobody Builds it Better!
Strength - Stability - Style

Monobody & Unibody

STANDARD SPECIFICATIONS

- **46", 52", 58", 64" and 68" BOX HEIGHTS**
- 1/8", 3/16" or 1/4" FLOOR WITH SOLID SEAM WELDING
- 1 PIECE RUB RAIL AND SIDE WALL TO ELIMINATE RUSTING
- NO LEDGES OR EDGES FOR GRAIN TO GET CAUGHT UP IN
- NO CROSSMEMBERS AND THEREFORE NO MUD HANGUP
- 8" AND 10" X 3/16" TIPPING SILLS FOR COMPLETE FLOOR SUPPORT
- **ROLL FORMED / 12 GAUGE SIDE WALLS AND FRONT**
- ELIMINATES GRAIN TRAPS AND LODGING
- EASY TO CLEAN OUT
- LESS WIND RESISTANCE
- 3" X 3" TUBE FRAME TOP RAILS ON SIDES AND FRONT
- 3" X 3" TUBE REAR AND FRONT CORNER POSTS ON SIDES
- STRATEGIC HORIZONTAL RIBBING FOR UNEQUALLED STRENGTH
- **HEAVY DUTY BUMPER**
- 3/16" STEEL FOR SUPERIOR STRENGTH
- ALL LIGHTS AND WIRING ARE COMPLETELY PROTECTED
- ALL LIGHTING INSERTED IN PROTECTIVE FLUSH RUBBER MOUNTINGS
- **TAILGATES WITH UNMATCHED DESIGN (CHOOSE FROM 4 STYLES)**
- BOTTOM LIP COMES OVER AND DOWN BUMPER TO

PREVENT MOISTURE SEEPAGE

- FULL WIDTH ACCESS WHEN DOORS ARE SWUNG OPEN FOR UNOBSTRUCTED UNLOADING
- 3 PIECE SWING-OUT COMES WITH HEADER BAR (REMOVABLE WITHOUT TOOLS IN MINUTES)
- COMPLETELY REMOVABLE IN MINUTES WITH NO TOOLS OR PINS
- HYDRAULIC LIFT COMBO (2 TYPES)
- MECH. TRIP COMBO
- L.B. AIR TRIP COMBO

SOME COMMON OPTIONS ARE:

- WIRELESS REMOTE CONTROL OF HOIST, TAILGATE TRAP, AUGERS, TARP
- CHECKERPLATE FLOORING
- WINDOWS
- STEPS
- LADDERS
- TAPERED BOXES
- CUSTOM STRIPING
- EXTENSIONS
- ELECTRIC OR AIR CONTROLS
- WATERPROOF BODIES/GATES
- WE CAN CUSTOM BUILD TO YOUR NEEDS
- SPECIAL LENGTHS & HEIGHTS AVAILABLE

	APPROX. CAPACITY	APPROX. WEIGHT
14'	460 BUS.	2630 LBS.
16'	515 BUS.	2900 LBS.
18'	575 BUS.	3170 LBS.
20'	640 BUS.	3440 LBS.
22'	700 BUS.	3710 LBS.
24'	765 BUS.	3980 LBS.

BASED ON 58" HEIGHT



1-800-363-2639



WE RESERVE THE RIGHT TO MODIFY, CHANGE OR REVISE PUBLISHED SPECIFICATIONS
WITHOUT PRIOR NOTICE IN ORDER TO CONTINUALLY STRIVE FOR PRODUCT IMPROVEMENT.

© CANCADE COMPANY LIMITED